THE RECOVERY KERNEL

The System Architect's Guide to Overcoming Addiction

Pharmacogenomic Recovery Protocols for the Treatment-Resistant

J.R. TOKEN

Senior Systems Architect

⚠ THIS IS A HARM REDUCTION MANUAL — NOT MEDICAL ADVICE ⚠

DEDICATION: LEGACY OF THE SYSTEM

To the systems we couldn't reboot.

To my cousin, **J.P.**

Lost beneath the combined weight of opiates, methadone, and cancer.

You were offline long before your time.

To my second cousin, **A.C.**

To the silence of the hospital room and the charcoal remnants of a rescue that came too late.

I saw the aftermath of the overdose, and I saw a system that knew how to pump a stomach

but didn't know how to heal a soul.

To the silent casualties.

*To **J.S. of Crown Point** and **G.F. of Phoenix, Arizona**.*

To those whose deaths I only learned of through the post-mortem reports.

To the friends who fought silently and terminated their own processes because the pain of continuing was too great.

*To **C.O. of Hobart, Indiana***

Who departed this world suddenly from chronic emphysema. You inspired me to follow my north star.

To the Analogue Guardians.

Winston, Chloe, Gershwin, and Princess.

My cats, who stayed by my side through the madness while the doctors tested their "solutions" and "creative remedies."

You were the only ones who saw that the medications weren't curing me —

They were only chemically pacifying a mad system.

You anchored me when the motherboard was overheating.

The Feline Felonz

My furballs, may you live your days in joy, love, and peace.

And finally, to the Laboratory.

For years, the industry treated us as an experiment and a sideshow attraction.

*They told us: **"I will take away the cause... but not the symptom."***

This book is the opposite.

We're going to the lab to see what's on the table.

But this time, we're not building a monster called Rocky McBottom

We're restoring the human.

About the Architect

 ARCHITECT'S LOG *I'm not a doctor. I'm a Systems Architect. Doctors are trained to treat symptoms. Architects are trained to debug systems. When your car's engine warning light comes on, a mechanic doesn't tape over the light — he diagnoses the underlying fault. Yet for decades, psychiatry did exactly that to me: masking the warning lights without ever looking under the bonnet.*

JR Token is a Computer Systems Architect for a major technology firm — and the architect of his own recovery.

After 15 years of costly trial-and-error in the traditional mental health system — a journey that cost insurers over $1.5 million in hospitalisations and failed treatments — JR realised the "standard of care" was broken. He'd tried every modern medication available, with monthly treatment costs reaching $8,000, whilst remaining unstable.

Refusing to accept this, JR applied his systems engineering expertise to his own biology. Through deep genetic analysis, he replaced the "shotgun" approach with precision: trading heavy sedative cocktails for a targeted protocol of specific supplements and the lowest doses of prescribable medication — interventions that took **fifteen years** to find through trial-and-error but could have been identified in **weeks** with proper genetic testing. He tested his protocol for 10 years to document its success.

Author's Note: The Kernel model started as a metaphor drawn from my temporary life in Valparaiso — a blend of a halfway house, a popcorn festival, and how the kernel of a computer determines what boots up and what crashes. What follows is a personal framework inspired by those experiences, which I place within existing research where possible.

 CRITICAL SYSTEM FAILURE RISK — TREATMENT-RESISTANT If the traditional system had worked for you, you wouldn't be reading this. You're here because you — like me — are treatment-resistant. Not because you're broken, but because you were given the wrong repair manual.

 GREEN SYSTEM — THE KERNEL This book is a debug manual for your unique neuro-metabolic machinery. It provides the technical specifications your doctor never received — because medical schools don't teach pharmacogenomics, and Medicare doesn't routinely cover genetic testing for mental health.

TABLE OF CONTENTS

- KERNEL 1
- KERNEL 2
- KERNEL 3
- KERNEL 4
- Chapter 1: Why Willpower Isn't Enough
- Chapter 2: The Delivery System
- Chapter 3: The Elimination System
- Chapter 4: The Processing System
- Chapter 5: The Combined Effect
- Chapter 6: The Epigenetic Playing Field
- APPENDIX A: Clinical Reference Tables
- APPENDIX B: AI Integration Framework for Precision Recovery

KERNEL 1

CORE ARCHITECTURE

Understanding Your Neurogenomic Blueprint

Module 1.1: Why Willpower Isn't Enough

 ARCHITECT'S LOG *Imagine telling someone with diabetes they simply need more "willpower" to produce insulin. Ridiculous, isn't it? Yet that's precisely what we tell addicts — a condition equally rooted in biological variation.*

Addiction is not a moral failing. It's a systems engineering problem. Your brain has supply chains (neurotransmitter production), processing units (receptors), and elimination systems (metabolic enzymes). When any of these systems has a genetic bottleneck, the entire architecture becomes vulnerable.

 GREEN SYSTEM — THE PARADIGM SHIFT Understanding your genetic variants transforms recovery from "fighting yourself" to "debugging yourself." You're not weak. You're running code that isn't optimised for your hardware.

Module 1.2: The Delivery System — MTHFR

The **MTHFR gene** controls your methylation cycle — the process that converts dietary folate into its active form (methylfolate) that your brain needs to produce neurotransmitters like serotonin, dopamine, and norepinephrine.

⚠ **SYSTEM WARNING — PREVALENCE NOTICE** 40-60% of the population carries at least one MTHFR variant. If you've ever been told antidepressants "don't work" for you, this may be why.

MTHFR C677T Variants:

• **C/C (Wild Type):** 100% enzyme function. Methylation works normally.

• **C/T (Heterozygous):** ~65% enzyme function. Moderate reduction in methylation capacity.

• **T/T (Homozygous):** ~30% enzyme function. Significant methylation impairment.

 ARCHITECT'S LOG *Think of MTHFR as the supply line to a factory. If your factory can only receive 30% of the raw materials it needs, it doesn't matter how good your workers are — production will be limited. Supplementing with methylfolate (the finished product) bypasses the defective supply line.*

Module 1.3: The Elimination System — COMT

The **COMT gene** (Catechol-O-Methyltransferase) controls the speed at which you clear dopamine, norepinephrine, and epinephrine from your synapses. This determines your stress response and your baseline anxiety level.

The Warrior vs Worrier Spectrum:

 GREEN SYSTEM — VAL/VAL — 'WARRIOR' Fast COMT clearance. Dopamine is cleared quickly. Low baseline anxiety. Performs well under acute stress. Needs MORE stimulation to feel engaged. Risk: May seek stimulants to feel 'normal'. Advantages: Stress-resilient, calm under pressure.

⚠ **SYSTEM WARNING — VAL/MET — 'BALANCED'** Intermediate COMT clearance. Moderate dopamine levels. Can adapt to various situations but may struggle with extremes.

 CRITICAL SYSTEM FAILURE RISK — MET/MET — 'WORRIER' Slow COMT clearance. Dopamine lingers. HIGH baseline anxiety. Better for complex cognitive tasks in calm environments. Performs POORLY under acute stress. Risk: May seek depressants (alcohol, benzodiazepines, opiates) to quiet the mind. Risk: Stimulants create overwhelming anxiety.

 ARCHITECT'S LOG *The Ferrari vs Holden Commodore Analogy: The Warrior is a Holden Commodore — reliable, efficient, doesn't need premium fuel, handles the outback just fine. The Worrier is a Ferrari — incredible performance under the right conditions, but requires premium fuel, precise tuning, and can't handle corrugated roads. Neither is 'better'. They're different architectures optimised for different environments. The problem arises when a Ferrari tries to run on regular unleaded in peak hour on the M1.*

Module 1.4: The Processing System — CYP450

The **CYP450 enzyme family** (primarily CYP2D6, CYP3A4, CYP2C19) determines how your liver processes medications and substances. Your CYP450 status can make a 'normal' dose ineffective or deadly.

CYP2D6 Phenotypes:

 CRITICAL SYSTEM FAILURE RISK — POOR METABOLISER (PM) 5-10% of Caucasians. Drugs metabolised by CYP2D6 accumulate to dangerous levels. Codeine provides NO pain relief (cannot convert to morphine). Fentanyl (which bypasses CYP2D6) hits with full force. Per FDA Pharmacogenomic Biomarkers: PM status is clinically relevant for 60+ medications.

 GREEN SYSTEM — NORMAL METABOLISER (NM) Majority of the population. Standard dosing applies. This is the group drug trials are designed for.

⚠ **SYSTEM WARNING — INTERMEDIATE METABOLISER (IM)** Reduced but present enzyme function. May require dose adjustments.

 CRITICAL SYSTEM FAILURE RISK — ULTRA-RAPID METABOLISER (UM) 1-10% of population (varies by ethnicity). Drugs are cleared too quickly for therapeutic effect at standard doses. Codeine is converted to morphine DANGEROUSLY fast. CPIC guidelines contraindicate codeine for UMs due to overdose risk.

KERNEL 2

HARM REDUCTION PROTOCOLS

The Festival Survival Guide — A Bio-Engineering Approach

 ARCHITECT'S LOG *The Medical System tried to treat my post-festival depression with antidepressants. It failed. They didn't understand I wasn't 'depressed' — I was 'depleted'. An antidepressant is like putting a lid on an empty pot. You don't need a lid; you need to fill the pot.*

 CRITICAL SYSTEM FAILURE RISK — UNIVERSAL SAFETY WARNING The protocols in this section are for HARM REDUCTION ONLY. The safest option is always abstinence. These substances carry serious risks including death. Nothing here constitutes medical advice. If you experience concerning symptoms, seek emergency medical care immediately.

Protocol 6.1: MDMA and Empathogen Recovery

Preventing the "Tuesday Blues" and Serotonin Recharge Protocol

The Depletion Mechanism

MDMA works by forcing a massive release of stored serotonin — your brain's entire reserve can be depleted in a single session. The euphoria you feel is your lifetime supply of wellbeing chemicals spent in one night.

⚠ **SYSTEM WARNING — GENETIC IMPACT** If you carry MTHFR variants, your serotonin 'recharge pump' is already running at 30-70% capacity. What takes a normal person 5-7 days to recover from may take you 2-3 weeks.

Phase 1: Pre-Loading (3-7 Days Before)

 GREEN SYSTEM — APPROVED SUPPLEMENTS • Magnesium Glycinate (400-600mg/day): Reduces jaw clenching, supports COMT function • Vitamin C (1000-2000mg/day): Neuroprotective antioxidant coverage • Alpha-Lipoic Acid (600mg) + ALCAR (500mg): Mitochondrial support • NAC (600-1200mg/day): Glutathione precursor — STOP 24-48h before event

Phase 3: Post-Event Recovery ("The Recharge Kit")

 CRITICAL SYSTEM FAILURE RISK — 5-HTP TIMING CRITICAL. NEVER take 5-HTP within 24 hours of MDMA use. Can cause potentially fatal Serotonin Syndrome. Wait at least 24 hours; 48 hours is safer.

 GREEN SYSTEM — RECOVERY STACK (Start 24-48 Hours Later) • 5-HTP (50-100mg) + EGCG (400mg): Serotonin precursor. Take in evening. • L-Tyrosine (500-1000mg): Dopamine precursor. Morning, empty stomach. • B-Complex (methylated forms): Cofactors for neurotransmitter synthesis • Omega-3s (2-3g EPA+DHA): Neuronal membrane repair

---

KERNEL 3

Protocol 6.7: The E.K.G. Rule and Safety Matrix

The Only Rule That Can Save Your Life

E + K = POSSIBLE | E + G = POSSIBLE | K + G = NEVER

Where: E = Ecstasy/MDMA | K = Ketamine | G = GHB/Alcohol

The Safety Matrix

	MDMA	Cocaine	Ketamine	GHB	Cannabis	Alcohol
MDMA	---	CARDIAC	KITTY	NEURO	OK	HEAT
Cocaine	CARDIAC	---	CK	CARDIAC	OK	COCAETH
Ketamine	KITTY	CK	---	☠ FATAL	WONKY	☠ RESP

	MDMA	Cocaine	Ketamine	GHB	Cannabis	Alcohol
GHB	🟡 NEURO	🟡 CARDIAC	☠ FATAL	---	🟡 CNS	☠ FATAL
Cannabis	🟢 OK	🟢 OK	🟡 WONKY	🟡 CNS	---	🟡 CROSS
Alcohol	🟡 HEAT	🟡 COCAETH	☠ RESP	☠ FATAL	🟡 CROSS	---

Legend:

🟢 **GREEN:** Lower acute risk (still not safe)

🟡 **YELLOW:** Caution — elevated risk, timing dependent

🔴 **RED:** Dangerous — risk of significant harm

☠ **SKULL:** Potentially fatal — DO NOT COMBINE

⚠ Code Red: Psychiatric Medication Interactions

The Specific Dangers

🔴 CRITICAL SYSTEM FAILURE RISK — LITHIUM + MDMA/STIMULANTS Serotonin syndrome + permanent cerebellar damage. Lithium lowers the seizure threshold. MDMA causes hyperthermia. Combined: potential for permanent brain damage from single exposure.

🔴 CRITICAL SYSTEM FAILURE RISK — LAMOTRIGINE + MDMA: Seizures, mood destabilisation, unpredictable interactions. Lamotrigine affects glutamate signalling. MDMA disrupts the same systems.

🔴 CRITICAL SYSTEM FAILURE RISK — MAOIs + ANY SEROTONERGIC SUBSTANCE MAOIs prevent serotonin breakdown. Add any serotonin-releasing substance = catastrophic accumulation. Multi-organ failure. Death.

🔴 CRITICAL SYSTEM FAILURE RISK — ANTIPSYCHOTICS + STIMULANTS Neuroleptic Malignant Syndrome. Dopamine blockade + dopamine release = neurological emergency.

The "Force Quit" Error

Chemical Sleep Dangers: Bio-Braking and The Speedball Gap

The Brake and The Accelerator

 ARCHITECT'S LOG *The belief that Stimulant (+1) plus Depressant (-1) equals Sober (0) is catastrophically incorrect. When you floor the accelerator and slam the brake at the same time, the engine doesn't return to idle — it fights the brakes. The gearbox grinds. The drivetrain experiences massive structural stress. Your heart is the engine. Your brainstem is the gearbox. The drugs are the pedals.*

 CRITICAL SYSTEM FAILURE RISK — THE RESULT IS NOT BALANCE. It's chaos. Your heart receives conflicting signals — pump faster AND slower. Your blood vessels receive orders to constrict AND dilate. Your respiratory centre receives commands to breathe quickly AND slowly. The brainstem cannot reconcile these instructions.

The "Seesaw" Effect — GHB During Stimulant Use

Imagine two kids on a seesaw. One kid (on a stimulant) keeps you **UP** — heart pumping, breathing active. The other kid (GHB) pushes you **DOWN** — heart slowing, breathing shallow. While both are playing, you're suspended.

The "Unopposed Alpha Stimulation" — Beta Blockers

Some people take beta blockers to 'manage' a heart rate accelerated by cocaine or amphetamines. This can cause stroke or heart failure.

 ARCHITECT'S LOG *Stimulants activate two systems: Alpha receptors (which constrict blood vessels) and Beta receptors (which make the heart pump harder). Beta blockers stop the pump but leave the constriction. You've turned off the pump while the pipes are still squeezed. Blood pressure EXPLODES. The coronary arteries go into SPASM. It's in the medical textbooks — beta blockers are CONTRAINDICATED in cocaine toxicity.*

The Safe Alternative: The 'Cool-Down' Cycle

 GREEN SYSTEM — SAFE MODE — Don't Force Quit, Decelerate • Environment: Dim lights, cool temperature, reduce stimulation • Magnesium Glycinate (400-600mg): GABA support, not sedating • L-Theanine (200-400mg): Alert calm, no respiratory depression • Phosphatidylserine (300mg): Cortisol reducer • TIME: The only safe

antidote to stimulant intoxication ⚠ If you can't sleep: It's your body protecting you. Rest without sleeping.

KERNEL 4

POST-MORTEM ANALYSIS

The System Failures We Lost

What follows is not gossip. It's not judgement. It's a **forensic engineering analysis** — comparable to an aircraft accident investigation. We examine the system failures that killed the brightest talents of multiple generations. They weren't weak. They weren't morally deficient. **Their systems failed.**

 ARCHITECT'S LOG: *These artists had all the money in the world. Private doctors. Luxury rehabs. Support teams. What they didn't have was a user manual for their own biology. You do.*

CASE FILES: THE GOLDEN AGE CASUALTIES

POST-MORTEM FILE: MARILYN MONROE (1926-1962)

FAILURE MODE: **The Original Prescription Tragedy**

Official Cause of Death: Acute barbiturate poisoning (Nembutal + chloral hydrate). Probable suicide.

Substances: Multiple barbiturate prescriptions from different doctors

Genetic Hypothesis: CYP2C19 Poor Metaboliser + multi-prescriber chaos

⚙ **SYSTEM FAILURE ANALYSIS:** Marilyn received barbiturates from multiple doctors who weren't communicating — the original 'doctor shopping'. Her insomnia and anxiety suggest a possible COMT Met/Met status. Barbiturates have an extremely narrow therapeutic window. CYP2C19 variants affect metabolism dramatically. A poor metaboliser accumulates to toxic levels at 'normal' doses.

 PREVENTATIVE INTERVENTION: Coordinated prescribing and CYP2C19 testing could have prevented the accumulation that killed her. She was 36.

POST-MORTEM FILE: ELVIS PRESLEY (1935-1977)

FAILURE MODE: **The King of Polypharmacy**

Official Cause of Death: Cardiac arrhythmia with multiple drugs as contributing factors

Substances: 14+ different substances found at autopsy

Genetic Hypothesis: CYP450 substrate stacking + COMT/MTHFR variants

⚙ **SYSTEM FAILURE ANALYSIS:** Elvis's extensive medication regime created a CYP450 collision. Each drug competed for the same enzymes. Accumulation was inevitable. His doctors had no understanding of pharmacogenomics.

 PREVENTATIVE INTERVENTION: Any pharmacogenomically-informed prescriber would have seen the collision coming.

CASE FILES: THE ROCK & ROLL CASUALTIES

POST-MORTEM FILE: MICHAEL HUTCHENCE (1960-1997)

FAILURE MODE: **The Acquired Brain Injury Cascade**

Official Cause of Death: Suicide by hanging

Medical History: Traumatic brain injury from 1992 assault, loss of smell, depression, erratic behaviour post-injury

Genetic Hypothesis: TBI-induced dopaminergic dysfunction + possible COMT/MTHFR baseline vulnerability

⚙ **SYSTEM FAILURE ANALYSIS:** Michael's personality changed dramatically after the 1992 assault that left him with anosmia (loss of smell) — a marker of frontal lobe damage. TBI can permanently alter dopamine signalling, impulse control, and mood regulation. Combined with the stress

of fame and relationship difficulties, his neurological vulnerability was never properly addressed.

 PREVENTATIVE INTERVENTION: Comprehensive neuropsychiatric assessment post-TBI, targeted dopaminergic support, recognition that personality changes signalled organic brain injury requiring specialised treatment. He was 37.

☠ POST-MORTEM FILE: KEITH MOON (1946-1978)

FAILURE MODE: **The Ironic Prescription**

Official Cause of Death: Heminevrin (clomethiazole) overdose — prescribed for alcohol withdrawal

Substances: 32 Heminevrin pills + alcohol at a party

Genetic Hypothesis: Narrow therapeutic window drug + active alcoholic

⚙ **SYSTEM FAILURE ANALYSIS:** The tragic irony: Keith was trying to get sober. Heminevrin was prescribed to ease his withdrawal. But he took 32 pills after heavy drinking. The drug meant to save him killed him. Heminevrin + alcohol is contraindicated.

 PREVENTATIVE INTERVENTION: Supervised hospital detox rather than outpatient medication for an active alcoholic. He was 32.

☠ POST-MORTEM FILE: SID VICIOUS (1957-1979)

FAILURE MODE: **The Tolerance Reset**

Official Cause of Death: Heroin overdose. Released from Rikers Island the day before.

Substances: Heroin at pre-incarceration dose after forced detox in prison

Genetic Hypothesis: Post-detox tolerance reset — universal physiological phenomenon

⚙ **SYSTEM FAILURE ANALYSIS:** Sid underwent involuntary detox in prison. Tolerance reset to near-zero. Upon release, he consumed his pre-incarceration dose. Post-detox overdose is one of the most common opioid deaths — your brain remembers the dose, your receptors don't.

 PREVENTATIVE INTERVENTION: Naltrexone upon release or supervised reintegration. He was 21.

☠ POST-MORTEM FILE: JOHN BELUSHI (1949-1982)

FAILURE MODE: **The Original Speedball**

Official Cause of Death: Combined cocaine + heroin intoxication ('speedball')

Substances: Cocaine and heroin, injected

Genetic Hypothesis: Pharmacokinetic mismatch — cocaine clears faster than heroin

⚙ **SYSTEM FAILURE ANALYSIS:** The speedball myth: users believe the stimulant and depressant 'balance'. They don't. Cocaine wears off first, leaving heroin-induced respiratory depression unprotected. The heart, stressed by cocaine, can't handle the transition.

 PREVENTATIVE INTERVENTION: Understanding of speedball pharmacokinetics — drugs don't balance. He was 33.

☠ CASE FILES: THE MODERN ERA

☠ POST-MORTEM FILE: WHITNEY HOUSTON (1963-2012)

FAILURE MODE: **The Anxiety Cascade**

Official Cause of Death: Drowning with cocaine, atherosclerotic heart disease, and alprazolam

Substances: Cocaine + Xanax (alprazolam) + hot bath

Genetic Hypothesis: COMT Met/Met → cocaine anxiety → benzodiazepine self-medication

⚙ **SYSTEM FAILURE ANALYSIS:** Whitney's profile suggests a COMT-related anxiety spiral. Cocaine creates intense anxiety in slow metabolisers, driving benzodiazepine use to 'cut' the anxiety. Benzos suppress respiration, cocaine stresses the heart, and hot water elevates cardiovascular stress.

 PREVENTATIVE INTERVENTION: COMT testing could have explained why cocaine made her so anxious, and why she 'needed' the Xanax.

POST-MORTEM FILE: PRINCE (1958-2016)

FAILURE MODE: **The CYP2D6 Time Bomb**

Official Cause of Death: Fentanyl overdose from counterfeit pills

Substances: Fentanyl (thought it was Vicodin)

Genetic Hypothesis: CYP2D6 Poor Metaboliser → standard opioids ineffective → sought alternatives

⚙ **SYSTEM FAILURE ANALYSIS:** Prince had chronic hip pain. Per FDA guidelines, CYP2D6 PMs get no relief from codeine (can't convert to morphine) but full effect from fentanyl (bypasses CYP2D6). If he was a PM, standard opioids failed him, driving him toward unregulated sources.

 PREVENTATIVE INTERVENTION: A $300 CYP2D6 test could have guided proper opioid selection.

POST-MORTEM FILE: AMY WINEHOUSE (1983-2011)

FAILURE MODE: **The Abstinence That Won**

Official Cause of Death: Accidental alcohol poisoning (BAC 0.416%)

Substances: Alcohol after weeks of abstinence

Genetic Hypothesis: ADH1B/ALDH2 variants + post-abstinence tolerance reset

⚙ **SYSTEM FAILURE ANALYSIS:** After abstinence, tolerance decreases, but craving doesn't. Amy drank what her old tolerance could handle; her new tolerance couldn't. A BAC of 0.416% represents over 5x the legal limit — fatal for most people.

 PREVENTATIVE INTERVENTION: Naltrexone (OPRM1-guided) for craving management during recovery.

POST-MORTEM FILE: HEATH LEDGER (1979-2008)

FAILURE MODE: **The Poly-Pharmaceutical Collision**

Official Cause of Death: Acute intoxication: oxycodone, hydrocodone, diazepam, temazepam, alprazolam, doxylamine

Substances: 6 prescription medications from multiple prescribers

Genetic Hypothesis: CYP450 substrate stacking — all competing for CYP3A4/CYP2D6

⚙ **SYSTEM FAILURE ANALYSIS:** Textbook case of substrate collision. Each drug competes for the same enzymes. All are cleared slowly. All accumulate. CNS depression from benzos plus respiratory depression from opioids = fatal synergy. Heath was one of Australia's finest actors, and his death at 28 in a New York apartment shocked the world.

 PREVENTATIVE INTERVENTION: Any pharmacogenomically-aware prescriber would have seen the collision. He was 28.

POST-MORTEM FILE: MATTHEW PERRY (1969-2023)

FAILURE MODE: **The Therapeutic Ketamine Tragedy**

Official Cause of Death: Acute effects of ketamine, drowning, coronary artery disease, buprenorphine

Substances: Ketamine (was receiving therapeutic infusions) + hot tub

Genetic Hypothesis: CYP3A4/CYP2B6 status + treatment-resistant COMT/MTHFR profile

⚙ **SYSTEM FAILURE ANALYSIS:** The most tragic irony: Matthew died from a substance he was receiving as LEGITIMATE MEDICAL TREATMENT. His treatment-resistant depression led to escalation to ketamine therapy. But ketamine + hot tub + coronary artery disease + buprenorphine = fatal. The system that tried to save him didn't protect him from his own treatment.

 PREVENTATIVE INTERVENTION: Pharmacogenomic testing for ketamine clearance rate. Explicit contraindication for hot tub use. He was 54.

 CRITICAL SYSTEM FAILURE RISK — THERAPEUTIC KETAMINE WARNING Matthew Perry's death is a warning to everyone using therapeutic ketamine: the drug that's helping you can kill you if safety protocols aren't genotype-informed. Demand pharmacogenomic testing. Know your clearance rate. NEVER use alone near water.

🔍 CASE FILES: THE FENTANYL GENERATION

🪦 POST-MORTEM FILE: MAC MILLER (1992-2018)

FAILURE MODE: **The Counterfeit Crisis**

Official Cause of Death: Mixed toxicity: fentanyl, cocaine, alcohol

Substances: Fentanyl-laced pills (thought they were oxycodone)

Genetic Hypothesis: MTHFR/COMT variants → depression/anxiety → self-medication

⚙ **SYSTEM FAILURE ANALYSIS:** Mac didn't know he was taking fentanyl. His public struggles with depression suggest possible MTHFR/COMT variants driving self-medication. Substances become attractive when baseline neurochemistry is painful.

🛡 **PREVENTATIVE INTERVENTION:** Drug checking services, fentanyl testing strips, pharmacogenomically-guided mental health treatment.

🪦 POST-MORTEM FILE: AVICII / TIM BERGLING (1989-2018)

FAILURE MODE: **The Burnout Protocol**

Official Cause of Death: Suicide after chronic pain, pancreatitis, and mental health difficulties

Medical History: Acute pancreatitis at 21, gallbladder/appendix removal, severe anxiety

Genetic Hypothesis: COMT Met/Met → severe baseline anxiety → only relief through substances → body destroyed

⚙ **SYSTEM FAILURE ANALYSIS:** Avicii's profile suggests severe COMT Met/Met anxiety. EDM touring is particularly depleting for the Worrier genotype — characterised by constant travel, irregular sleep, and noisy environments. Without substances, the anxiety was unbearable. With substances, his organs were destroyed. Trapped.

🛡 **PREVENTATIVE INTERVENTION:** Understanding COMT status → career modifications, targeted anxiety treatment, recognition that his career was literally threatening his life.

🪦 POST-MORTEM FILE: JUICE WRLD / JARAD HIGGINS (1998-2019)

FAILURE MODE: **The Panic Reaction**

Official Cause of Death: Oxycodone + codeine toxicity

Circumstances: Allegedly swallowed multiple pills to hide them from federal agents at airport

Genetic Hypothesis: CYP2D6 Ultra-Rapid Metaboliser → codeine converts to morphine dangerously fast

⚙ **SYSTEM FAILURE ANALYSIS:** Panic-driven ingestion. His use of 'lean' (codeine/promethazine) suggests possible CYP2D6 UM status. CPIC guidelines contraindicate codeine for UMs — they convert it to morphine too fast.

🧬 **PREVENTATIVE INTERVENTION:** CYP2D6 testing could have identified whether codeine was particularly dangerous. He was 21.

🪦 POST-MORTEM FILE: LIL PEEP / GUSTAV ÅHR (1996-2017)

FAILURE MODE: **The Fentanyl Lottery**

Official Cause of Death: Combined fentanyl + alprazolam toxicity

Substances: Counterfeit Xanax pills laced with fentanyl

Genetic Hypothesis: GABAergic dysfunction (GABRA2/GAD1) → severe anxiety → benzo dependence

⚙ **SYSTEM FAILURE ANALYSIS:** Lil Peep thought he was taking Xanax. Why was a 21-year-old so dependent on benzos? His lyrics describe depression/anxiety intertwined with substance use. This suggests GABAergic dysfunction — inadequate natural calming signals.

🧬 **PREVENTATIVE INTERVENTION:** GABAergic variant testing, drug checking, fentanyl testing strips. He was 21.

The Lesson: You Have What They Didn't

From Marilyn Monroe in 1962 to Matthew Perry in 2023 — **sixty years of preventable deaths**. The same patterns. The same failures. The same lack of pharmacogenomic understanding.

 ARCHITECT'S LOG *Every person in this memorial would likely still be alive if their prescribers had understood pharmacogenomics. If their doctors had asked 'What medication works for YOUR genotype?' instead of 'What medication do we usually prescribe?'*

 GREEN SYSTEM — THE TEST EXISTS A pharmacogenomic panel costs $250-500 AUD. Understanding your COMT, CYP450, MTHFR, OPRM1 variants requires a single test. This information can be the difference between successful treatment and system failure.

The patterns from 60 years are clear:

 CRITICAL SYSTEM FAILURE RISK — CYP2D6 POOR METABOLISERS Get no relief from codeine but full/fatal effect from fentanyl (Prince, others)

⚠ **SYSTEM WARNING — COMT MET/MET ('WORRIER')** Creates baseline anxiety that drives self-medication with depressants (Whitney, Avicii, likely many others)

 CRITICAL SYSTEM FAILURE RISK — POST-DETOX TOLERANCE RESET Old dose becomes fatal dose (Sid Vicious, Cory Monteith, Philip Seymour Hoffman)

 CRITICAL SYSTEM FAILURE RISK — CYP450 SUBSTRATE STACKING Multiple drugs competing for the same enzymes → unpredictable accumulation (Elvis, Heath Ledger)

Chapter 1: Why Willpower Isn't Enough

The Hardware Failure Model of Addiction

1.1 The Myth of Moral Weakness

 ARCHITECT'S LOG *If addiction were a moral failing, 'morally strong' people would never become addicted. Yet we see doctors, Olympic athletes,*

CEOs, and priests struggling. Addiction doesn't discriminate by character — it discriminates by genetics.

Addiction is a disease of neurochemistry, not of character. Understanding your unique genetic profile transforms recovery from a 'battle of wills' into an 'engineering project'.

The Three Systems of Addiction

1. **The Delivery System (MTHFR)** — Neurotransmitter production
2. **The Elimination System (COMT)** — Neurotransmitter clearance
3. **The Processing System (CYP450)** — Drug metabolism

When any of these systems is genetically compromised, vulnerability to addiction increases exponentially.

1.2 Your Brain as a Data Centre

 GREEN SYSTEM — THE DATA CENTRE ANALOGY Imagine your brain as a sophisticated data centre: • **Neurotransmitters** = Data flowing between servers • **Receptors** = Ports receiving data • **Enzymes** = Routers controlling data flow • **Genes** = Source code determining hardware configuration

When the source code contains variants, the hardware functions differently. It's not good or bad — it's simply different. But using the wrong manual for your hardware causes errors.

1.3 The Standard Dose Trap

 CRITICAL SYSTEM FAILURE RISK — THE ONE-SIZE-FITS-ALL MYTH Clinical trials test drugs on 'normal metabolisers' — roughly 50-70% of the population. If you're in the remaining 30-50%, the 'standard dose' may be: • Ineffective (ultra-rapid metabolisers) • Toxic (poor metabolisers) • Partially effective (intermediate metabolisers)

Clinical Example: Codeine prescribed to a CYP2D6 poor metaboliser provides NO pain relief. The patient requests stronger medication. The doctor suspects drug-seeking. The patient turns to illicit sources. Escalation to fentanyl occurs. Overdose follows.

All of this could have been prevented with a $300 genetic test.

Chapter 2: The Delivery System

MTHFR and Neurotransmitter Production

2.1 What is MTHFR?

The **MTHFR gene** (Methylenetetrahydrofolate Reductase) encodes an enzyme that converts folate into its active form: **L-methylfolate**. This active form is essential for:

• Production of serotonin (mood, sleep, satiety) • Production of dopamine (motivation, pleasure, focus) • Production of norepinephrine (energy, alertness) • Methylation reactions throughout the body

⚠ **SYSTEM WARNING — MTHFR VARIANT PREVALENCE** • C677T Heterozygous (C/T): ~40% of population • C677T Homozygous (T/T): ~10-15% of population • A1298C: Additional variant affecting the same pathway

---

2.2 Impact on Recovery

C/C Profile (Wild Type)

 GREEN SYSTEM — NORMAL FUNCTION • 100% enzyme function • Dietary folate is efficiently converted • Neurotransmitter production proceeds normally • Standard antidepressants generally work as expected

C/T Profile (Heterozygous)

⚠ **SYSTEM WARNING — REDUCED FUNCTION** • ~65% enzyme function • May require methylfolate supplementation • Antidepressants may be partially effective • Moderate vulnerability to depression/anxiety

T/T Profile (Homozygous)

 CRITICAL SYSTEM FAILURE RISK — SEVERELY REDUCED FUNCTION • ~30% enzyme function • Neurotransmitter production is significantly compromised • Antidepressants often fail without methylfolate

supplementation • High vulnerability to depression, anxiety, and self-medication

---

2.3 MTHFR Supplementation Protocol

 GREEN SYSTEM — APPROVED STACK FOR T/T • **L-Methylfolate** (400-800 mcg/day, slowly increasing to 15mg if tolerated) • **Methylcobalamin (B12)** (1000-5000 mcg/day) • **P-5-P (Active B6)** (25-50mg/day) • **Riboflavin (B2)** (25-50mg/day) • **TMG (Trimethylglycine)** (500-1000mg/day) — alternative methylation pathway

⚠ **SYSTEM WARNING — OVER-METHYLATION RISK** Start with low doses. Over-methylation can cause anxiety, irritability, and insomnia. Increase slowly over 2-4 weeks. If over-methylation symptoms occur, reduce dose or add niacin (50-100mg).

Chapter 3: The Elimination System

COMT and Dopamine Metabolism

3.1 What is COMT?

The **COMT gene** (Catechol-O-Methyltransferase) encodes an enzyme that breaks down:

• Dopamine • Norepinephrine • Epinephrine • Catechol oestrogens

The rs4680 variant (Val158Met) determines the speed of this enzyme.

3.2 The Warrior-Worrier Spectrum

Val/Val — The Warrior

 GREEN SYSTEM — FAST CLEARANCE Characteristics: • Fast dopamine clearance (4x faster than Met/Met) • Low baseline anxiety • Excellent under acute stress • May appear 'detached' or 'unfeeling'

Addiction Risks: • May seek stimulants to feel 'normal' • Risk-taking behaviour to generate dopamine • Less affected by normal rewards

Recovery Strengths: • Fewer emotional withdrawal symptoms • Can handle stressful environments better • Less susceptible to anxiety-induced relapse

Val/Met — The Balanced

⚠ **SYSTEM WARNING — INTERMEDIATE CLEARANCE Characteristics:** • Moderate enzyme function • Can adapt to various environments • Cognitive flexibility

Addiction Risks: • Depends on context and other genes • May lean Warrior or Worrier depending on environment

Met/Met — The Worrier

 CRITICAL SYSTEM FAILURE RISK — SLOW CLEARANCE Characteristics: • Slow dopamine clearance • High baseline anxiety • Excellent for complex cognitive tasks in calm environments • Overwhelmed by acute stress

Addiction Risks: • Self-medication with depressants (alcohol, benzos, opiates) • Stimulants create unbearable anxiety • May use substances to 'switch off' an overactive mind

Recovery Challenges: • Intense emotional withdrawal symptoms • High vulnerability to anxiety-induced relapse • Need for calm, structured recovery environments

---

3.3 COMT Support Protocol

For Val/Val (Warrior)

 GREEN SYSTEM — DOPAMINE SUPPORT STACK • L-Tyrosine (500-1000mg morning, empty stomach) • **Mucuna Pruriens** (15% L-DOPA, 100-200mg) • **Rhodiola Rosea** (200-400mg) • **Intensive exercise** regularly for dopamine release

For Met/Met (Worrier)

 GREEN SYSTEM — CALMING STACK • **Magnesium Glycinate** (400-600mg/day) • **L-Theanine** (200-400mg as needed) • **Phosphatidylserine** (300mg evening) • **Ashwagandha** (300-600mg, KSM-66 form) • **AVOID**: Excessive caffeine, stimulants, chaotic environments

---

Chapter 4: The Processing System

CYP450 and Drug Metabolism

4.1 The CYP450 Family

The **CYP450 enzymes** are your liver's main drug-processing systems. The most clinically relevant are:

• **CYP2D6**: Metabolises ~25% of all prescription drugs • **CYP3A4**: Metabolises ~50% of all prescription drugs • **CYP2C19**: Metabolises PPIs, some antidepressants, clopidogrel • **CYP2B6**: Metabolises methadone, bupropion, ketamine • **CYP1A2**: Metabolises caffeine, some antipsychotics

---

4.2 CYP2D6 Phenotypes and Clinical Implications

Poor Metaboliser (PM)

 CRITICAL SYSTEM FAILURE RISK — DRUG ACCUMULATION
Prevalence: 5-10% of Caucasians, 1-2% of Asians

Implications: • Codeine provides NO relief (cannot convert to morphine) • Tramadol is ineffective • Antidepressants accumulate to toxic levels • Fentanyl hits with full force (bypasses CYP2D6)

Medications to Avoid/Adjust: • Codeine, tramadol (ineffective) • Fluoxetine, paroxetine (toxic accumulation) • Metoprolol, propranolol (accumulation)

Normal Metaboliser (NM)

 GREEN SYSTEM — STANDARD DOSING Prevalence: 50-70% of population • Standard medication dosing applies • Most clinical trials are designed for this group

Ultra-Rapid Metaboliser (UM)

 CRITICAL SYSTEM FAILURE RISK — CLEARANCE TOO FAST Prevalence: 1-10% (varies by ethnicity; more common in Middle Eastern populations)

Implications: • Standard doses are ineffective • Codeine converts to morphine DANGEROUSLY fast • Antidepressants are cleared before taking effect • May be labelled 'treatment-resistant' when it's a dosing issue

CPIC Guidelines: Codeine is CONTRAINDICATED in UMs due to morphine overdose risk.

4.3 CYP450 Drug Interactions

⚠ **SYSTEM WARNING — SUBSTRATE STACKING** When multiple medications use the same CYP450 enzyme, they 'compete' for processing. This causes: • Unpredictable accumulation • Toxicity at 'normal' doses • Therapeutic failure

Common CYP2D6 Inhibitors (slow metabolism): • Fluoxetine (Prozac/Lovan) • Paroxetine (Aropax) • Bupropion (Zyban) • Quinidine

Common CYP2D6 Substrates (metabolised by CYP2D6): • Codeine, tramadol, hydrocodone, oxycodone • Metoprolol, propranolol • Amitriptyline, nortriptyline • Risperidone, aripiprazole

---

Chapter 5: The Combined Effect

When Multiple Variants Converge

5.1 The Risk Multiplier

 ARCHITECT'S LOG *Genetic risks don't add — they multiply. An MTHFR variant + a COMT variant + a CYP450 variant doesn't create 3x the risk. It*

may create 10x the risk. Each compromised system stresses the others further.

High-Risk Profile: The Undermethylated Worrier

🚨 CRITICAL SYSTEM FAILURE RISK — DANGEROUS COMBINATION
Genotype: MTHFR T/T + COMT Met/Met

Mechanism: • MTHFR T/T = Reduced neurotransmitter production • COMT Met/Met = Slow dopamine clearance • Result = Oscillation between low dopamine (depression) and persistent dopamine (anxiety)

Presentation: • Mixed depression with anxiety • Treatment-resistant • Likely self-medication with depressants • Standard antidepressants often fail

High-Risk Profile: The Undermethylated Warrior

⚠ SYSTEM WARNING — PROBLEMATIC COMBINATION Genotype: MTHFR T/T + COMT Val/Val

Mechanism: • MTHFR T/T = Reduced neurotransmitter production • COMT Val/Val = Fast dopamine clearance • Result = Chronic dopamine deficit

Presentation: • Sensation-seeking • Risk-taking behaviour • Likely self-medication with stimulants • Resembles ADHD without actual ADHD

5.2 The CYP450 Danger Triangle

🚨 CRITICAL SYSTEM FAILURE RISK — MULTI-ENZYME COLLISION
When a patient is PM for multiple CYP450 enzymes:

Example: CYP2D6 PM + CYP2C19 PM • Most antidepressants accumulate • Traditional opioids don't work • PPIs cause excessive acid suppression • Interaction risks are exponential

---

5.3 Combined Clinical Cases

Case A: The Polysubstance Spiral

Patient: Male, 28, history of multiple substance use **Genotype:** MTHFR C/T, COMT Met/Met, CYP2D6 PM

History: • Severe anxiety from childhood • Self-medication with alcohol at 16 • Benzo prescription at 20 → dependence • Codeine trial for pain → ineffective → escalation to heroin • Multiple treatment failures

System Analysis: • COMT Met/Met explains baseline anxiety • CYP2D6 PM explains codeine failure • MTHFR C/T contributes to depression vulnerability

Pharmacogenomic Intervention: • Methylfolate 15mg + cofactors • Gabapentin (not metabolised by CYP2D6) for anxiety • Buprenorphine (doesn't require CYP2D6 conversion) for MAT • Strict benzo avoidance

Case B: The Treatment-Resistant

Patient: Female, 45, 'refractory' depression for 20 years **Genotype:** MTHFR T/T, COMT Val/Met, CYP2C19 UM

History: • 15+ antidepressants tried • Multiple hospitalisations • Labelled 'difficult' by psychiatrists • Self-medication with alcohol

System Analysis: • MTHFR T/T = Doesn't produce enough serotonin precursors • CYP2C19 UM = Clears SSRIs too fast to take effect • Result = Every SSRI fails because substrate is missing AND being cleared too fast

Pharmacogenomic Intervention: • Methylfolate 15mg (provide missing substrate) • Venlafaxine (not metabolised by CYP2C19) at higher dose • Plasma level monitoring • Response in 6 weeks after 20 years of failure

---

Chapter 6: The Epigenetic Playing Field

Adjusting Your Lifestyle to Your Genotype

6.1 Epigenetics: The Software Above Your Hardware

 ARCHITECT'S LOG *Your genes are the hardware. Epigenetics is the software. You can't change the hardware, but you can optimise the*

software. Lifestyle — diet, exercise, sleep, stress — modifies the expression of your genes.

Epigenetics explains why two people with the same genotype can have very different outcomes. Your lifestyle choices 'switch' certain genes 'on' or 'off'.

6.2 Lifestyle Adjustment by COMT Genotype

For Val/Val (Warrior)

 GREEN SYSTEM — WARRIOR OPTIMISATION Exercise: High intensity, competitive, team sports (footy, cricket, netball) **Diet:** Can tolerate more protein, less sensitive to tyrosine **Coffee:** Well tolerated, may even be beneficial **Career:** Performs well in high-pressure environments **Recovery:** Needs challenges, concrete goals, structure

For Met/Met (Worrier)

 GREEN SYSTEM — WORRIER OPTIMISATION Exercise: Moderate, yoga, swimming, bushwalks **Diet:** Limit tyrosine in evening, avoid inflammatory foods **Coffee:** Limit or avoid — can trigger anxiety **Career:** Performs well in calm, structured environments **Recovery:** Needs calm, predictability, emotional safety

---

6.3 MTHFR Epigenetic Optimisation

 GREEN SYSTEM — DIET FOR MTHFR T/T Foods Rich in Natural Folate: • Leafy greens (spinach, silverbeet, kale) • Liver (most concentrated source) • Legumes (lentils, chickpeas) • Asparagus, broccoli, Brussels sprouts

Avoid: • Synthetic folic acid (in fortified foods) • Alcohol (depletes folate) • Chronic stress (increases methylation demand)

6.4 Recovery Strategies by Genotype

The Warrior Protocol (Val/Val)

🟢 GREEN SYSTEM — ACTION-ORIENTED RECOVERY

1. **Concrete goals**: Measurable milestones, tangible rewards
2. **Intensive exercise**: Dopamine release through sport
3. **Healthy competition**: Sports, games, challenges
4. **External structure**: Active sponsor, daily meetings initially
5. **Cognitive stimulation**: New learning, engaging projects

The Worrier Protocol (Met/Met)

🟢 GREEN SYSTEM — SAFETY-ORIENTED RECOVERY

1. **Calm environment**: Avoid chaotic treatment centres
2. **Predictable routine**: Same wake time, meals, sleep
3. **Stress reduction**: Meditation, breathing, yoga
4. **Emotional support**: Individual therapy before groups
5. **Slow transition**: Avoid sudden changes

APPENDIX A

Clinical Reference Tables

Table A.1: CYP2D6 Matrix — Opioids

Opioid	PM	NM	UM	Notes
Codeine	🔴 INEFFECTIVE	🟢 Standard	☠️ CONTRAINDICATED	PM: no conversion to morphine. UM: too-fast conversion
Tramadol	🔴 INEFFECTIVE	🟢 Standard	⚠ Toxicity risk	Similar to codeine
Oxycodone	⚠ Reduced effect	🟢 Standard	⚠ Reduced effect	Partially metabolised by CYP2D6
Hydrocodone	⚠ Reduced effect	🟢 Standard	⚠ Toxicity risk	Conversion to hydromorphone
Morphine	🟢 Standard	🟢 Standard	🟢 Standard	Doesn't require CYP2D6
Fentanyl	☠️ FULL	🟢	🟢 Standard	Bypasses CYP2D6

Opioid	PM	NM	UM	Notes
	EFFECT	Standard		
Buprenorphine	□ Standard	□ Standard	□ Standard	CYP3A4, not CYP2D6
Methadone	⚠ Adjust	□ Standard	⚠ Adjust	CYP2B6, CYP3A4

Table A.2: CYP2D6 Matrix — Antidepressants

Antidepressant	PM	NM	UM
Fluoxetine	⚠ Reduce 50%	□ Standard	⚠ May require increase
Paroxetine	⚠ Reduce 50%	□ Standard	⚠ May require increase
Venlafaxine	⚠ Reduce 50%	□ Standard	⚠ Increase if ineffective
Duloxetine	⚠ Reduce	□ Standard	□ Standard
Amitriptyline	⚠ Reduce 50%	□ Standard	⚠ Increase
Nortriptyline	⚠ Reduce 50%	□ Standard	⚠ Increase

Table A.3: COMT/MTHFR Correlations

COMT	MTHFR	Risk Profile	Likely Substances	Approach
Val/Val	C/C	Low	Stimulants, thrills	Activity replacement
Val/Val	T/T	Moderate	Stimulants, risks	Methylfolate + replacement
Met/Met	C/C	Moderate	Depressants, alcohol	Anxiety management
Met/Met	T/T	HIGH	Depressants, polyuse	Methylfolate + anxiolytics + calm environment

APPENDIX B

AI Integration Framework for Precision Recovery

 ARCHITECT'S LOG *AI doesn't replace clinical judgement. It enhances it. An LLM trained on pharmacogenomic literature can help clinicians identify interactions the human mind might miss — especially with complex medication regimens.*

B.1 Approved Use Cases

 GREEN SYSTEM — APPROPRIATE AI APPLICATIONS • CYP450 drug interaction verification • Hypothesis generation for treatment-resistant cases • Patient education about their genetic profile • Pharmacogenomic literature synthesis • Identification of prescribing inconsistencies

B.2 Critical Limitations

 CRITICAL SYSTEM FAILURE RISK — AI DOES NOT REPLACE • Clinical judgement from a qualified doctor • Laboratory result interpretation • Prescribing decisions • The therapeutic relationship

B.3 Prompt Template for AI Consultation

```
PATIENT PROFILE:
- MTHFR genotype: [C/C, C/T, T/T]
- COMT genotype: [Val/Val, Val/Met, Met/Met]
- CYP2D6 status: [PM, IM, NM, UM]
- CYP2C19 status: [PM, IM, NM, UM]

CURRENT MEDICATIONS:
[List]

SUBSTANCES USED:
[List with frequency]

KEY SYMPTOMS:
[List]

QUESTION:
Based on this pharmacogenomic profile, what potential interactions and
treatment optimisations should be considered?
```

B.4 Interpreting AI Results

⚠ **SYSTEM WARNING — INTERPRETATION RULES** • Always verify AI suggestions with primary literature • Consider the full clinical context •

Discuss with patient before any changes • Document pharmacogenomic reasoning

---

Emergency Resources — Australia

🚨 IN CASE OF MEDICAL EMERGENCY: 000 (Triple Zero)

Crisis Helplines: • **Lifeline Australia**: 13 11 14 (24/7) • **Beyond Blue**: 1300 22 4636 (24/7) • **Suicide Call Back Service**: 1300 659 467 (24/7) • **Kids Helpline (Under 25)**: 1800 55 1800 (24/7) • **MensLine Australia**: 1300 78 99 78 • **13YARN (Aboriginal & Torres Strait Islander)**: 13 92 76

Alcohol & Drug Services: • **Alcohol and Drug Information Service (ADIS)**:

- NSW: 1800 250 015
- VIC: 1800 888 236
- QLD: 1800 177 833
- WA: 1800 198 024
- SA: 1300 131 340
- TAS: 1800 811 994
- NT: 1800 131 350
- ACT: (02) 6207 9977 • **DirectLine (Victoria)**: 1800 888 236 • **Family Drug Support**: 1300 368 186 • **SMART Recovery Australia**: smartrecoveryaustralia.com.au

Treatment Services: • **Alcoholics Anonymous Australia**: aa.org.au | 1300 222 222 • **Narcotics Anonymous Australia**: na.org.au | 1300 652 820

Medicare & PBS Information: • Ask your GP about a Mental Health Treatment Plan (Medicare rebates for psychology) • Pharmacogenomic testing may be available through some private pathology labs ($250-500) • Some psychiatrists offer bulk-billed telehealth consultations

---

Emergency Resources — New Zealand

🚨 EMERGENCY: 111

• **Lifeline NZ**: 0800 543 354 • **Need to Talk?**: Free text or call 1737 • **Alcohol Drug Helpline**: 0800 787 797 • **Youthline**: 0800 376 633 • **Samaritans NZ**: 0800 726 666

Final Words

□ ARCHITECT'S FINAL LOG

You are not broken.

You're running code that isn't optimised for your hardware.

This book is your debug manual.

With this information, you can collaborate with your doctors to

build a system that works — for YOU, specifically for YOUR hardware.

This is Neurogenomic Sovereignty.

Welcome to your recovery.

— J.R. Token

Senior Systems Architect

⚠ THIS IS A HARM REDUCTION MANUAL — NOT MEDICAL ADVICE ⚠

Always consult a qualified healthcare professional before modifying your medication or supplement regimen.

© J.R. Token

THE RECOVERY KERNEL: The System Architect's Guide to Overcoming Addiction

Australian Edition